

Slitlamp Hawk i

HAWK*i*

Top illumination



A slit-lamp, which is a specialized magnifying microscope, is used to examine the structures of the eye (including the cornea, iris, vitreous, and retina).

HAWK*i*

Bottom illumination



 SEE NEW POSSIBILITIES		Hawk-I Slitlamp Models				
Descriptions	B2	B3	B5	T2	T3	T5
Microscope	Galilean	Galilean	Galilean	Galilean	Galilean	Galilean
Magnification	10x, 16x	10X, 16X, 25X	6.5X, 10X, 16X, 25X, 40X	10x, 16x	10X, 16X, 25X	6.5X, 10X, 16X, 25X, 40X
Eyepieces	10x, 12.5x(Opt)	WF 12.5X	WF 12.5X	10x, 12.5x(Opt)	WF 12.5X	WF 12.5X
IPD range	49 - 80mm	49-78 mm	49-78 mm	49 - 78mm	49-78 mm	49-78 mm
Slit length/ Width	0 - 14mm cont	0 - 13.5 mm	0 - 13.5 mm	0 - 12 mm cont	0 - 12 mm	0 - 12 mm
Slit rotation	0 - 180deg	0 - 180 deg	0 - 180 deg	0 - 180deg	0 - 180 deg	0 - 180 deg
Slit tilt	-			20deg	20 deg	20 deg
Filters	Red free, Cobalt blue, Heat absorbing	Red free, Cobalt blue, Heat absorbing	Red free, Cobalt blue, Heat absorbing	Red free, Cobalt blue, Heat absorbing	Red free, Cobalt blue, Heat absorbing	Red free, Cobalt blue, Heat absorbing
Illumination	6V, 20W Halogen Bulb	6V, 20W Halogen Bulb	6V, 20W Halogen Bulb	6V, 20W Halogen Bulb	6V, 20W Halogen Bulb	6V, 20W Halogen Bulb
	3V, 5W LED	3V, 5W LED	3V, 5W LED	3V, 5W LED	3V, 5W LED	3V, 5W LED

Slitlamp Hawk i Accessories



- Integrated Slitlamp Camera
- Applanation Tonometer
- Motorized Table
 - IT 2000
 - IT 2001